


DISPER·LUX

PERSIANES · PORTES · MOSQUITERES


MONOBLOCK

CAJÓN DE PVC

PVC SHUTTER BOX



REGILUX



M1
(UNE 23727-90 1R)
Informe de clasificación
Classification report
N° 7000 AITEX



170 / 1,4 W/m²K
200 / 0,61 W/m²K
Transmisión térmica U
Thermal transmission
(UNE-EN ISO 10077-2)



170 / R_w (C;Ctr)= 31 (-3;-7) dB
200 / R_w (C;Ctr)= 46 (-2;-7) dB
Acústico Noise
(UNE-EN 140-3 /
UNE-EN 20140-10)



170 / CLASE class 4
200 / CLASE class 4
Permeabilidad al aire
Air permeability
(UNE-EN 1026)





170 / CLASE class 9A
200 / CLASE class E3000
Estanqueidad al agua
Water resistance
(UNE-EN 1027)



P3: 3000 Pa
Resistencia al viento
Wind load resistance
(UNE-EN 12211)



170-200




REGILUX

CON MOSQUITERA
INTEGRADA




PVC BOX WITH
INTEGRATED ROLLER
SYSTEM MOSQUITO NET

200



/ CAJÓN DE PVC MONOBLOCK
PVC SHUTTER BOX

CAJÓN PVC PVC SHUTTER BOX

		
REGILUX	REGILUX con mosquitera integrada <i>PVC BOX WITH INTEGRATED ROLLER SYSTEM MOSQUITO NET</i>	REGILINE
Ø	Ø	Ø
159 mm	-	-
189 mm	154 mm	188 mm
170 / 1,4 W/m²K 200 / 0,61 W/m²K		200 / 1,0 W/m²K
170 / Rw (C;Ctr)= 31 (-3; -7) dB 200 / Rw (C;Ctr)= 46 (-2; -7) dB		200 / Rw (C;Ctr)= 43 (-2; -6) dB
170 / Clase <i>Class</i> 4 200 / Clase <i>Class</i> 4		200 / Clase <i>Class</i> 4
170 / Clase <i>Class</i> 9A 200 / Clase <i>Class</i> E3000		200 / Clase <i>Class</i> E3000
P3: 3000 Pa		P3: 3000 Pa

DISPER·LUX
PERSIANES · PORTES · MOSQUITERES

C/ Francesc Samaranch, 11 | Tel. 936 688 612 | Fax 936 687 760
08750 MOLINS DE REI (Barcelona)
comercial@disper-lux.com | www.disper-lux.com